




NR-25994-000
SHT 1.1




NOTE:

- INCREASED PRESSURE AT THE SOUND INLET CAUSES A POSITIVE GOING VOLTAGE TO APPEAR AT THE OUTPUT TERMINAL, RELATIVE TO THE NEGATIVE TERMINAL.

RED CONTROLLED



NOMINAL WEIGHT
.13 GRAM




Ø 0.508±0.025
[.020±.001]
(15X)

DIMENSIONS IN MILLIMETERS [INCHES]


KNOWLES ELECTRONICS
ITASCA, ILLINOIS U.S.A.

Revision	C.O. #	Implementation Date	RELEASE LEVEL	REVISION
			Active	D
D	MI0105063	5-07-13		
SCALE: 2:1				
DO NOT SCALE DRAWING			DR. BY	DATE
TITLE: MICROPHONE			SDZ	7-17-06
			NR-25994-000	
OUTLINE DRAWING			GJP	7-17-06
			SHT 1.1	
			GJP	7-17-06

SENSITIVITY IN dB RELATIVE TO 1.0 VOLT/0.1 Pa (N/M²)
FOR CONDITIONS SHOWN BELOW.



FREQUENCY	SENSITIVITY			DEVICE CONFORMITY	
	MIN.	NOM.	MAX.	RANGE OF DEVIATION FROM 1KHz	
100	---	-49.0	---	-2.0	+2.0
1000	-52.0	-49.0	-46.0	0.0	0.0
4000	---	-51.0	---	-5.0	+1.0



NOTES:

- CASE CONNECTED TO NEGATIVE TERMINAL.
- MICROPHONE TO BE FUNCTIONAL WITH 10 VDC SUPPLY.
- SENSITIVITY VALUES INDICATED ON THIS SPECIFICATION ARE VALID AT 50% HUMIDITY.
- PRESSURE DIFFERENCE SENSITIVITY TESTED WITH REAR SOUND PORT SEALED TO AIR VOLUME OF AT LEAST 0.5 CC.
- VL SPEC: 0.15 - 0.90V

RED CONTROLLED

PORT LOCATION	DC SUPPLY	AMPLIFIER CURRENT DRAIN	OUTPUT IMPEDANCE OHMS			"A" WEIGHTED NOISE [RE 1.0 V]
			MIN.	NOM.	MAX.	
Ka, Ja	1.3V	50uA MAX.	2800	4400	6800	-99 dB MAX.

Revision	C.O. #	Implementation Date	RELEASE LEVEL	REVISION
D	M10105063	5-8-13	Active	D

KNOWLES ELECTRONICS
ITASCA, ILLINOIS U.S.A.

WHEN TEST LIMITS ARE USED TO ESTABLISH INCOMING INSPECTION ACCEPTANCE/REJECTION CRITERIA, CORRELATION OF TEST EQUIPMENT WITH KNOWLES IS ALSO REQUIRED FOR ELIMINATION OF EQUIPMENT AND TEST METHOD VARIATION

TITLE: **MICROPHONE** NR-25994-000
PERFORMANCE SPECIFICATION SHT 2.1

DR. BY	DATE
SDZ	7-17-06
CK. BY	DATE
GJP	7-17-06
APP. BY	DATE
GJP	7-17-06

NR-25994-000	KNOWLES ELECTRONICS ITASCA, ILLINOIS U.S.A.	NR-25994-000
Sheet 4.1		Sheet 4.1
Dr. By Date SDZ 7-17-06	MICROPHONE ASSEMBLY	D
Ch. GJP 7-17-06		
App. GJP 7-17-06		
Subject:		Revision:
		Release Level
		Active

COL. 1	2	3	4	Item No.	Line No.
Part or Dwg. no.	Tot. Req.	Nomenclature:	Applicable Specs or Remarks		
NR-100	1	ASSEMBLY CUP & TAB		1	1
NR-102	1	RING, FILM & PLATE ASSEMBLY		2	2
(D) 13-092-080101	A/R	CEMENT		3	3
EK02-282	1	CIRCUIT ASSEMBLY WITH WIRES		4	4
(D) 13-092-080704	A/R	CEMENT		5	5
(D) 13-138-314	A/R	CEMENT		6	6
NR-114	1	ASSEMBLY CUP & SCREEN		7	7
285-007-001	A/R	SOLDER LEAD FREE		8	8

RED CONTROLLED

REVISION	A c.o. M10101181	B c.o. M10101282	C c.o. M10101377	D c.o. M10105063
	ADDED GROUND WIRE LSY 11-20-06	MODIFIED SHEET 2.1 ADDED SHEET 5.1 CRG 1-17-07		13-092-080101 WAS 13-092 13-092-080704 WAS 13-092 13-138-314 WAS 13-138 00 5-07-13

NR-25994-000
Sheet **4.1**

PROPRIETARY NOTE: THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE PROPRIETARY PROPERTY OF KNOWLES ELECTRONICS, LLC. OR ITS AFFILIATED ENTITIES. IT IS ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED, COPIED, USED, OR DISCLOSED TO ANY THIRD PARTY PARTIALLY OR WHOLLY IN ANY MANNER WITHOUT PRIOR WRITTEN PERMISSION OF, AND MUST BE RETURNED UPON REQUEST BY, KNOWLES ELECTRONICS, LLC.

REV: D

PRODUCTION TEST INFORMATION

SOFTWARE REVISION GPIB FCAMT	SOFTWARE 5.2 MIN.
HARDWARE REVISION GPIB FCAMT	KE 10698.10A MIN.

RED CONTROLLED

Revision	C.O. #	Implementation Date	RELEASE LEVEL	REVISION
			Active	D
D	M10105063	5-07-13		

KNOWLES ELECTRONICS
 ITASCA, ILLINOIS U.S.A.

WHEN TEST LIMITS ARE USED TO ESTABLISH INCOMING INSPECTION ACCEPTANCE/REJECTION CRITERIA, CORRELATION OF TEST EQUIPMENT WITH KNOWLES IS ALSO REQUIRED FOR ELIMINATION OF EQUIPMENT AND TEST METHOD VARIATION

TITLE: **MICROPHONE** **NR-25994-000**
 PERFORMANCE SPECIFICATION **SHT 5.1**

DR. BY	DATE
SDZ	7-17-06
CK. BY	DATE
GJP	7-17-06
APP. BY	DATE
GJP	7-17-06